U.S. Application No.: 09/830,732

AMENDMENT D

Attorney Docket: 2368.119

## IN THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

Claims 1-10 (Cancelled)

- 11. (Currently amended) A case-safe system according to Claim  $\underline{19}$   $\underline{10}$ , wherein the  $\underline{\text{first}}$  security locking system is a lock with key, a combination lock, a magnetic card lock or a electronic lock.
- 12. (Currently amended) A case-safe system (10) according to Claim  $\underline{19}$   $\underline{10}$ , wherein the <u>first-locking</u> boreholes are provided with reinforcements.
- 13. (Previously presented) A case-safe system comprising:
  - a housing,
- a closable case adapted for being received in the housing, wherein the case can be inserted and barricaded or locked by the housing,

wherein the housing includes first locking boreholes for locking and for receiving locking bolts associated with the case, and that the case is provided with its own independent security locking system,

wherein the housing include second locking boreholes for a locking rod or bar.

14. (Previously presented) A case-safe system according to Claim 13, wherein the locking rod or bar can be secured with a lock.

U.S. Application No.: 09/830,732

AMENDMENT D

Attorney Docket: 2368.119

Claim 15 (Cancelled)

16. (Currently amended) A case-safe system according to Claim 19
10, wherein the housing and/or the case is comprised of a fire resistant material.

- 17. (Currently amended) A case-safe system according to Claim 19
  10, wherein the housing and/or the case is comprised of steel,
  cast aluminum or extruded metal parts.
- 18. (Currently amended) A case-safe system (10) according to Claim  $\underline{19}$   $\underline{10}$ , wherein the stationary housing comprises multiple housings connectable with each other.
- 19. (Currently amended) A case-safe system comprising:
  - a housing including boreholes;
- a closed closable case for being received within the housing, the case comprising a handle, an independent a first security locking system to independently lock the case, and a second locking system associate to lock the case with the housing;

wherein the case further includes locking bolts to engage with the boreholes of the housing to lock the closable case inside the housing.

U.S. Application No.: 09/830,732

AMENDMENT D

Attorney Docket: 2368.119

- 20. (Currently amended) A case-safe system (10) according to Claim 19, wherein the casing further comprises a soft concealment covering cover.
- 21. (Currently amended) A case-safe system (10) according to Claim 20, wherein the <u>concealing</u> cover<u>ing</u> is made of leather or cloth.
- 22. (Currently Amended) A case-safe system comprising:
  - a housing including boreholes;
- a <u>closable</u> case for being received within the housing, the case comprising a body portion defining a receptacle having a hinge top flap extending over the receptacle for closing the same, a handle, anchoring means at each end of said handle for securing the handle to the top flap, and a locking system <u>to lock</u> the case <u>associate</u> with the housing;

wherein the housing includes first locking boreholes for locking and receiving case further includes locking bolts associated with the case to engage with the locking bolts of the closed case with the boreholes of the housing to locking the closed case inside the housing.

23. (Currently amended) A case-safe system according to Claim  $\underline{19}$   $\underline{10}$ , wherein the housing is stationary and is adapted to be secured in closets, on walls or in vehicles, in boats, in air planes and in bank safes.